

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,461	07/17/2003	Takeshi Misawa	0649-0901P	9184
2292	7590 08/12/2004		EXAMINER	
	WART KOLASCH &	MAGEE, THOMAS J		
PO BOX 747 FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
			2811	<del>-                                    </del>
		DATE MAILED: 08/12/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

			- lh			
		Application No.	Applicant(s)			
		10/620,461	MISAWA, TAKESHI			
	Office Action Summary	Examiner	Art Unit			
		Thomas J. Magee	2811			
Period f	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the d	correspondence address			
THE - Extended - If the - If NO - Fail Any	MORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. ensions of time may be available under the provisions of 37 CFR 1.1 or SIX (6) MONTHS from the mailing date of this communication. the period for reply specified above is less than thirty (30) days, a reply o period for reply is specified above, the maximum statutory period of the period for reply within the set or extended period for reply will, by statute or reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be tin ly within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a, cause the application to become ABANDONE	mely filed  ys will be considered timely.  the mailing date of this communication.  ED (35 U.S.C. § 133).			
Status						
1)[\]	Responsive to communication(s) filed on 19 M	<u>1ay 2004</u> .				
2a)⊠	This action is <b>FINAL</b> . 2b) This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposit	tion of Claims					
4)🛛	Claim(s) <u>1-10</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)□	Claim(s) is/are allowed.					
6)⊠	Claim(s) <u>1-10</u> is/are rejected.					
7)	Claim(s) is/are objected to.					
8)□	Claim(s) are subject to restriction and/o	r election requirement.				
Applicat	tion Papers					
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)	The oath or declaration is objected to by the Ex	caminer. Note the attached Office	e Action or form PTO-152.			
Priority	under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachmen		_				
	ce of References Cited (PTO-892)	4) ☐ Interview Summary Paper No(s)/Mail Da				
	ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		Patent Application (PTO-152)			
	er No(s)/Mail Date	6)				

Application/Control Number: 10/620,461 Page 2

Art Unit: 2811

## **DETAILED ACTION**

## Claim Rejections – 35 U.S.C. 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office Action:
- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in sect ion 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1 3, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Malinovich et al. (US 6,168,965 B1) in view of Strnad (US 6,338,974 B1).
- 4. Regarding Claims 1 and 3, Malinovich et al. disclose a semiconductor device comprising a semiconductor substrate (300) (Figure 4(A)) on which a photoelectric converting portion (100) is formed (CCD, CMOS image sensors) (Col. 1, lines 10 19) (Col. 11, lines 5 9).

Malinovich et al. do not disclose the presence of a "light shading" (or diffuse) region, whereby incoming light is "reflected" (scattered) from the rear surface of the semiconductor. Strnad discloses (Col. 1, line 63 through Col. 2, line 10) the use of mechanical thinning of the semiconductor substrate at the rear surface of the device structure to produce a series of "peaks" and "valleys" (Figures 2 and 4), wherein radiation is scattered away (or "shaded") from the device at the front surface (Col. 2, lines 8 – 9) by the rough features. In the imaging device of Strnad, the scattering away or "shading" produces a image degrading from the image formed at the front surface and transmitted to the back. It would then have been

obvious to one of ordinary skill in the art at the time of the invention to combine the back surface grind techniques of Strnad with the device structure of Malinovich et al. to obtain an optical device with a "light shading" or diffuse scattering layer to avoid spurious signals being reflected back into the sensor at the front surface.

- 5. Regarding Claim 2, Malinovich et al. disclose (Col. 8, lines 4 12) that the package comprises a wiring board (printed circuit board) with a connecting terminal on the rear surface.
- 6. Regarding Claim 9, Malinovich et al. disclose a method for manufacturing a semiconductor device comprising forming a plurality of devices (Col. 6, lines 5 –7) (Figure 3A) (100) on the front surface of a semiconductor substrate, with a bonding step for bonding a wiring board on the rear surface of the substrate (Col. 8, lines 8 12) and a separating step for separating individual devices (Col. 7, lines 20 25) (Figure 4D).

Malinovich et al. do not disclose the use of a grinding step for forming rough surface on the rear surface of the semiconductor substrate. Strnad discloses (Col. 3, lines 42 – 52) the use of backside grinding to form a rough surface (Figure 4) at the rear surface of the substrate.

It would then have been obvious to one of ordinary skill in the art at the time of the invention to combine the back surface grind techniques of Strnad with the device structure of Malinovich et al. to obtain an optical device with a "light shading" or diffuse scattering layer to avoid spurious signals being reflected back into the sensor at the front surface.

Art Unit: 2811

7. Claims 4, 5, and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Malinovich et al. in view of Strnad, as applied to Claims 1 – 3, and further in view of Wheatley et al. (US 5,122,905).

- 8. Regarding Claims 4 and 5, Malinovich et al. do not disclose the presence of one or more "light shading films having different refractive indices and formed on the rear surface of the substrate, corresponding to the photoelectric converting portion. Wheatley et al. disclose a multilayered film body (Figure 2) in which the refractive index difference between the first two layers is 0.03, and arranged such that at least 30% of the incident light is reflected, producing a diffuse or shaded surface. It would have been obvious to one of ordinary skill in the art at the time of the invention to use the multifilm structure of Wheatley et al. at the back surface of the device of Malinovich et al. to produce a device with a diffuse or light shaded region at the rear of the device within regions of the photo electric converting portion to avoid spurious signals in the sensor.
- 9. Regarding Claim 8, as discussed above, Malinovich et al. do not disclose the presence of a light shading layer at the rear surface of the semiconductor substrate. Wheatley et al. disclose a layer structure at the rear surface (Col. 2, lines 22 47) that functions as a "light shading" (diffuse) layer. It would have been obvious to one of ordinary skill in the art at the time of the invention to combine Wheatley et al. with Malinovich et al. to obtain a diffuser (light shading) layer at the rear surface of the device to reduce spurious coupling into the

sensor.

10. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Malinovich et al. in view of Strnad., as applied to Claims 1 – 3, and further in view of Fjelstad (US 6583444 B2).

- 11. Regarding Claim 6, Malinovich et al. do not disclose that the wiring board is connected to the substrate through a light-shading resin material. Fjelstad discloses that a light sensitive device is contained using an epoxy resin (Col. 7, lines 33 38) that is "opaque" (Col. 7, lines 43 45) to visible light, wherein the resin serves as a light-shading material. It would have been obvious to one of ordinary skill in the art at the time of the invention to combine Fjelstad with Malinovich et al. to obtain a resin adhesive material to attach the substrate and circuit board together.
- 12. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Malinovich et al. in view of Strnad., as applied to Claims 1 3, and further in view of Tamaki (US 5,523,174).
- 13. Regarding Claim 7, Malinovich et al. do not disclose that the surface of the wiring board is roughened. Tamaki discloses (Figure 2) that the surface of the printed circuit board is roughened to improve adhesion at the surface. It would have been obvious to one of ordinary skill in the art at the time of the invention to combine Tamaki et al. with Malinovich et al. to obtain an increased bonding at the interface of the board and the substrate.

Application/Control Number: 10/620,461 Page 6

Art Unit: 2811

14. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Malinovich et

al. in view of Fjelstad.

15. Regarding Claim 10, Malinovich et al. disclose a method for manufacturing a semicon-

ductor device comprising the steps of forming a plurality of devices (Col. 6, lines 5 –7)

(Figure 3A) (100) on the front surface of a semiconductor substrate, and a separating step

for separating individual devices (Col. 7, lines 20 – 25) (Figure 4D).

Malinovich et al. do not disclose the use of a light shading adhesive for bonding a wiring

board on the rear surface of a semiconductor device, wherein the adhesive suppresses light

"reflected" (scattered) from the semiconductor rear surface. Fjelstad discloses that a light

sensitive device is contained using an epoxy resin (Col. 7, lines 33 – 38) that is "opaque"

(Col. 7, lines 43 – 45) to visible light, wherein the resin serves as a light-shading material.

It would have been obvious to one of ordinary skill in the art at the time of the invention to

combine Fjelstad with Malinovich et al. to obtain a resin adhesive material to attach the

substrate and circuit board together.

Response to Arguments

16. Applicant's arguments with respect to claims have been considered but are moot in view of

the new ground(s) of rejection.

**Conclusions** 

Application/Control Number: 10/620,461 Page 7

Art Unit: 2811

18. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a). A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to **Thomas Magee**, whose telephone number is **(571) 272 1658.** The Examiner can normally be reached on Monday through Friday from 8:30AM to 5:00PM (EST). If attempts to reach the Examiner by telephone are unsuccessful, the examiner's supervisor, **Eddie Lee**, can be reached on **(571) 272-1732.** The fax number for the organization where this application or proceeding is assigned is **(703)** 

872-9306.

Thomas Magee July 29, 2004

> SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800